

ENERGY FROM THE DESERTS- THE USE OF NANO-LEAVES TO PRODUCE ELECTRICITY

K. Dinesh kumar

Abstract

Here are the formatting guidelines for the IJATER Journal. Please strictly adhere to this format for your contribution; this will greatly expedite publication. A relatively modern technology uses nanoleaves attached to artificial trees and plants to capture solar energy. These exclusively designed nanoleaves contain tiny photovoltaic and thermo voltaic modules that gather heat and light from solar energy, converting this to electrical energy. Solar power and wind power is seen by many as a soln. to the world's energy problems. The earth receives 1.7×10^{17} W from the sun compared to a total electricity generation capacity of 4.6×10^{12} W (OECD prediction for 2010). However the av. power d. is low with a daytime av. over the earth of 680 Wm^{-2} . This makes centralised generation problematic but distributed photoelec. Generation by domestic and com. users is a rapidly developing market. However typical com. available modules have an energy conversion efficiency of less than 12%. Silicon cells with 24% efficiency have been produced in the lab while multi-junction tandem cells using different semiconductor materials (GaInAs, GaInP and Ge) to absorb different parts of the sun's spectrum have reached 40%. This chapter describes some of the materials and device achievements so far and looks at possible ways in which higher efficiencies might be achieved with particular emphasis on nano-materials to use more of the solar spectrum efficiently. The possibility of using quantum slicing and multiple excitation generation to make more efficient use of high energy photons is considered and impurity band generation as a possible route to use low energy photons. One of the greatest challenges is to do this cheaply using semiconductors made from non-toxic abundant elements.

Note that the ENTIRE document should be typed in Times New Roman font. Limit the abstract to 250 words or less.

Introduction

Nanoleaf technology is an inventive method of green energy collection, combining the conversion of light, heat and wind power. Integrated nano technologies enable the nanoleaves to convert solar radiation (light & heat) into electricity.


Furthermore, the leaf petiole or the stem, and twigs comprise nano-piezovoltaic material -- these tiny generators produce electricity from movement or kinetic energy caused by wind or falling raindrops. A fundamental flaw in conventional solar cells is that electrons give too much energy by sunlight and lose that energy in heat form, as the electrons move thermally to the bottom of the conduction band. SolarBotanic "hotcarrier" solar cells would use quantum dots (i.e., nano-particles) to confine electrons long enough so that they could be extracted before their energy dissipates as heat. With this process of combining the conversion of light, heat and wind, more energy is generated, as the "hot carrier" can now be efficiently used with the implementation of thermovoltaic cells.

The design of the nanoleaves is based on the principles of photosynthesis, a natural process where plants extract the light from solar energy, and along with CO₂ from the atmosphere, convert it to starches and oxygen, the oxygen being emitted to the atmosphere.

However, nanoleaves development has gone a step further, in that they are capable of harvesting the thermal and light energy from the sun's energy and convert it to electricity. The stems of the nanoleaves are designed to collect kinetic energy from the wind, which they also convert to electrical energy.

Methodology

Instead of causing problems for the environment with the abundance of carbon footprint, we should come up with some practical solution to clean up the mess and that is why clean energy sources have become appealing. Solar power keeps the surroundings cleaner and healthier. Photovoltaic cells that harness the solar power is an attractive option for capturing light and generating electric power. Various designers have implemented this PV technology in their designs and have created solar trees that amount to generation of cleaner electricity in an eco-friendly way.



Solar nano technology is used to collect thermal, light, and wind energy, the leaves and stems incorporate minuscule cells, as explained below;

- **Thermal Energy**

This is captured through the use of thermovoltaic (TV) cells which convert thermal energy into electricity by using semi-conducting materials (a material which is between a metal and an insulator; its conductivity increasing with temperature rise).

- **Light Energy**

Light energy is captured by the use of photovoltaic cells (PV), which convert the energy inherent in solar light rays into electricity.


- **Kinetic Energy**

The kinetic energy contained in wind causes the nanoleaf stems, twigs, and branches to oscillate. This motion is captured by piezovoltaic (PZ) cells using a semi-conductor device embedded in these components, converting the kinetic energy of the wind to electrical energy.

- **TiO₂ :**

The nano leaves are designed by using the tio₂ nano particles because its very effective power generating nano particles and cost is very less so In cosmetic and skin

care products, titanium dioxide is used as a pigment, sunscreen and a thickener. It is also used as a tattoo pigment and in styptic pencils. Titanium dioxide is produced in varying particle sizes, oil and water dispersible, and with varying coatings for the cosmetic industry. This pigment is used extensively in plastics and other applications for its UV resistant properties where it acts as a UV absorber, efficiently transforming destructive UV light energy into heat. Titanium dioxide is found in almost every sunscreen with a physical blocker because of its high refractive index, its strong UV light absorbing capabilities and its resistance to discoloration under ultraviolet light. This advantage enhances its stability and ability to protect the skin from ultraviolet light. Sunscreens designed for infants or people with sensitive skin are often based on titanium dioxide and/or zinc oxide, as these mineral UV blockers are believed to cause less skin irritation than other UV absorbing chemicals. The titanium dioxide particles used in sunscreens have to be coated with silica or alumina, because titanium dioxide creates radicals in the photocatalytic reaction. These radicals are carcinogenic, and could damage the skin



Latest nanotechnology for our leaves:

The Nano tree is a combination of high Tec materials brought together in a leaf design to convert all 3 energy sources; Light, Heat and Wind into electricity, our trees are a quantum source of power and an excellent electricity provider.

Nano tree will be multifunctional, efficient, renewable energy systems. Within our collection, you'll find a host of special options and features designed to bring energy efficiency and beauty to your home. Nano tree will be top-quality multi energy collectors with maximum power output day and night that are installed by our contractors. The energy trees range from 2.000 to 12.000 kWh per year power output, so you can find the right tree, shrub or plants with the right features at the right price.



This unique and efficient product that will make use of nature's perfect design features will be sold exclusively by and officially appointed dealers only. Products will be available in broadleaf and needle trees, shrubs, flowering plants and water based plants, each includes specific features and options for a true natural product, and are specially designed for maximum energy efficiency in every climate.

Designed according to nature, that allows this product to be installed within cities, rural communities, and places of natural beauty and island communities, for use in new and existing residential projects without causing a negative impact. Each product with its unique features is designed to be well-matched with certain types of local scenery.

Nano trees are designed and engineered for use in all areas and to withstand extreme weather conditions, they will comply with safety regulations that vary from area to area. Every nano tree is engineered for superior performance, maximum power efficiency and long-lasting beauty.

Nano-leaves

Sun, wind, water, earth and life touch our living senses immediately always, everywhere and without any intervention of reason. They simply are there in their unmatched variety, moving us, our moods, memories, imaginations, intentions and plans.

To capitalize on the wealth of designs and processes found in nature, engineering and technology gave us the ingredients, creative thinking, and unique solutions made it possible to bring all this together into a natural looking leaf - the Nanoleaf.


To complete the tree for multi energy exploitation, the petiole twigs and branches are incorporated with Nano piezo-electric elements. A Nanoleaf is thin like a natural leaf, when outside forces, like the wind pushes the Nanoleaf back

and forth, mechanical stresses appear in the petiole, twig and branches. When thousands of Nanoleaves flap back and forth due to wind, millions and millions of Pico watts are generated, the stronger the wind, the more energy is generated.

Our Nanoleaves only reflect a small part of the sunlight that strikes them, mostly the green light, and the rest of the spectrum is efficiently converted into electricity.

Besides converting the visible spectrum of light, our Nanoleaves also convert the invisible light, known as infrared light or radiation, we can't see it, but we can feel it - it's warm - that's why we call it radiation. Due to the unique combination of photovoltaic and thermovoltaic in our Nanoleaves it converts this thermal radiation into electricity, even hours after the sun has set.

The more wind there is, the more Nanoleaves are moved. Wind that is moving thousands of Nanoleaves in a tree canopy are causing mechanical strain in the petiole, twigs and branches. Nano piezo-electric elements incorporated in the petiole twigs and branches are the tiny Nano piezo-electric elements that will generate millions and millions of Pico watts as these thousands of Nanoleaves flap back and forth due to wind. The stronger the wind, the higher the "flap" frequency, and therefore the larger the watts generated in the petiole, twigs and branches.



With the progress in nano technology, the photovoltaic, thermovoltaic and piezo electric materials are becoming more efficient and combined in one system it will give our products more efficiency and we believe that soon, SolarBotanic will be a mainstream green energy provider, more reliable/cheaper and above all better looking

Applications of Electrical Energy from Nanoleaves:

The photovoltaic, piezovoltaic and thermovoltaic energy harvesters are linked to individual junction boxes, from where they are amalgamated and fed collectively into an inverter. This converts the electricity from Direct Current (DC) into Alternating Current (AC) the electrical power now being suitable for domestic or industrial use.

The manufacturers of the system estimate that a six meter area of nanoleaves canopy will generate enough electrical power to supply an average household.

There are many places where the artificial trees and shrubs can be positioned as noted below;

- Deserts

The power supplied by these trees “planted” in the desert can be used to power desalination plants to produce fresh water from seawater and brackish water aquifers. This water can then be used for drinking and land irrigation, without any environmental damage to the fragile desert environment.

- Parks, Recreation Grounds, and Golf Courses

The electricity produced can be used to charge electrically powered ground maintenance vehicles such as grass cutters as well as electrically powered hand tools like grass trimmers and pruning shears. When planted on golf courses the power produced can be used to charge golf buggies as well as electrically powered ground maintenance vehicles.

- Office Car Parks and Industrial Units

Trees planted in these locations will not only supply electrical power for the office and industrial units, but add aesthetic qualities to an otherwise drab area, whilst providing shade from the wind and sun.

- Electree – Solar-powered ‘Tree’ to charge your mobile devices
- solar-powered tree lights up the night

Reference:

1. Nanoscale Engineering for the Mechanical Integrity of Li-Ion Electrode Materials (Katerina E. Aifantis and Stephen A. Hackney).
2. Nanostructured Hydrogen Storage Materials Synthesized by Mechanical Alloying (Mieczyslaw Jurczyk and Marek Nowak).

3. Nanosized Titanium Oxides for Energy Storage and Conversion (Aurelien Du Pasquier).
4. DNA Biosensors Based on Nanostructured Materials (Adriana Ferancová and Ján Labuda).
5. Metal Nanoparticles: Applications in Electroanalysis (Nathan S. Lawrence and Han-Pu Liang).
6. Kinematic Self-Replicating Machines. By Robert A. Freitas Jr. and Ralph C. Merkle. (xxi + 341 pp, 189 illustrations and tables, 3278 references. Landes Bioscience: Georgetown, TX, 2004)
7. Prospects in Nanotechnology: Toward Molecular Manufacturing. Edited by Markus Krümmenacker and James Lewis (Hardbound, xviii + 297 pages. Includes bibliographic references and index. John Wiley & Sons, Inc.: New York, Chichester, Brisbane, Toronto, and Singapore. 1995)

Biographies

K.DINESH KUMAR received the B.E. degree in Electronics and communication engg from the (Kings college of engg,punalkulam,pudukottai)Anna University , Chennai, Tamil nadu, in 2012.Email id:vkjdinesh@gmail.com. Cell no:8940383626